

DAY 10

MCA CET 2025

COMPUTER

MEMORY



INEXORABLE
MAH MCA CET 2025
FREE CRASH COURSE



JOIN US ON  WHATSAPP



JOIN US ON  TELEGRAM



FOR MAH MCA CET 2025



Computer Memory

The computer memory is one of the most important elements in a computer system. It stores data and instructions required during the processing of data and output results.

Storage may be required for a limited period of time, instantly or for an extended period of time.

It also relates to many devices that are responsible for storing data on a temporary or a permanent basis.

volatile


non-volatile




Binary

Computer Memory Size

Binary




Name	Equal To	Size (In Bytes)
Bit	1 Bit	1/8
Nibble	 4 Bits	1/2 (rare)
Byte	8 Bits	1
<u>Kilobyte</u>	<u>1024 Bytes</u>	1024
Megabyte	1,024 Kilobytes	1,048,576
Gigabyte	1,024 Megabytes	1,073,741,824
Terabyte	1,024 Gigabytes	1,099,511,627,776
Petabyte	1,024 Terabytes	1,125,899,906,842,624
Exabyte	1,024 Petabytes	1,152,921,504,606,846,976
Zettabyte	1,024 Exabytes	1,180,591,620,717,411,303,424
Yottabyte	1,024 Zettabytes	1,208,925,819,614,629,174,706,176



Memory Hierarchy

The hierarchical arrangement of storage in current computer architectures is called the memory hierarchy. The computer uses a hierarchy of memory that is organised in a manner to enable the fastest speed and largest capacity of memory as shown in figure. The memory is characterised on the basis of two key factors; capacity and access time.





Parameters of Memory

Some related parameters of memory are as follows

1. **Storage Capacity** It is representative of the size of memory. The capacity of internal memory or main memory can be expressed in terms of number of words or bytes.
2. **Access Modes** A memory is comprised of various memory locations. The information from these memory locations can be accessed randomly, sequentially and directly.
3. **Access Time** The access time is the time required between the desired modes for a read or write operation till the data is made available or written at the desired location.



4. **Physical Characteristics** In this respect, the devices can be categorized into four main categories as electronic, magnetic, mechanical and optical.

HDD

CD/DVD

SSD/RAM ↓
floppy

5. **Permanence of Storage** Its permanence is high for future use in magnetic materials.



Types of Memory

In general, the memory is classified into two categories as follows


1. Primary memory or Main memory
2. Secondary memory or Auxiliary memory



Primary memory or Main memory

The memory unit that communicates directly with the CPU is called **main memory** or **internal memory** or **primary memory**. The primary memory allows the computer to store data for immediate manipulation and to keep track of what is currently being processed. It has limited storage capacity.

Primary memory is of **two types** as shown in the image below.






Random Access Memory (RAM)

It is also known as read/write memory, that allows CPU to read as well as write data and instructions into it. RAM is used for the temporary storage of input data, output data and intermediate results.

There are two categories of RAM as follows

- (i) **Dynamic RAM (DRAM)** It is made up of memory cells where each cell is composed of one capacitor and one transistor. DRAM must be refreshed continually to store information. DRAM is slower, less-expensive and occupies less space on the computer's motherboard.
- (ii) **Static RAM (SRAM)** It retains the data as long as power is provided to the memory chip. SRAM needs not be refreshed periodically. It uses multiple transistors for each memory cell. It does not use capacitor. SRAM is often used cache memory due to its high speed. SRAM is more expensive and faster than DRAM.

→ It is faster than DRAM





Read Only Memory (ROM) *permanent*

Read Only Memory (ROM) It is also known as non-volatile memory or permanent storage. It does not lose its contents when the power is switched OFF.

ROM can have data and instructions written to it only one time. Once a ROM chip is programmed at the time of manufacturing, it cannot be reprogrammed or rewritten. So, it has only read capability, not write.

There are three categories of ROM as follows :

1. Programmable ROM (PROM)
2. Erasable Programmable ROM (EPROM)
3. Electrically Erasable Programmable ROM (EEPROM)

*BIOS
firmware*



Programmable ROM (PROM)

It is also non-volatile in nature. Once a PROM has been programmed, its contents can never be changed. It is one-time programmable device. These types of memories are found in video game consoles, mobile phones, implantable medical devices and high definition multimedia interfaces.

Erasable Programmable ROM (EPROM) :

It is similar to PROM, but it can be erased by exposure to strong ultraviolet light, then rewritten. So, it is also known as Ultraviolet Erasable Programmable ROM (UVEPROM).

Electrically Erasable Programmable ROM (EEPROM)

It is similar to EPROM, but it can be erased electrically, then rewritten electrically. It is the most flexible type of ROM, and is now (commonly used for holding BIOS)



CPU

(Apart from above memory, there is also some other memory that helps to primary memory which are as follows)

Cache Memory:

It is a storage buffer that stores the data which more often, temporarily and makes, them available to CPU at a fast rate. Cache memory is a very high speed. memory placed in between RAM and CPU. It increases the speed of processing. Cache memory is very expensive, so it is smaller in size. Generally, computers have cache memory of sizes 256 KB to 2 MB.

Flash Memory :

SSD, SD Cards.

It is a kind of semiconductor based non-volatile rewritable memory, used in digital camera, mobile phone, printer, etc.

5GB



Virtual Memory

It is a technique that allows the execution of processes that are not completely in main memory. One major advantage of this scheme is that programs can be larger than main memory.



permanent

Secondary Memory/Storage

Auxiliary

- This memory stores much larger amounts of data and information for extended periods of time
- Data in secondary memory cannot be processed directly by the CPU, it must first be copied into primary memory, i.e. RAM
- It is the slower and cheaper form of memory
- Secondary storage is used to store data and programs when they are not being processed. It is also non-volatile in nature. Due to this, the data remain in the secondary storage as long as it is not overwritten or deleted by the user
- It is a permanent storage

Secondary memory devices include as follows:

1. Magnetic Storage
2. Optical Storage
3. Solid State Storage



Magnetic Storage

Magnetic storage is the manipulation of magnetic fields on a medium in order to record audio, video or other data. It includes hard disk drive, floppy disk and magnetic tape..

Optical Storage

Optical storage is any storage type in which data is written and read with a laser. It includes CD, DVD and Blu-ray disc.


Solid State Storage

Solid state storage is a type of storage technique that employs storage devices built using silicon microchip based storage architecture. It includes pen/flash drive, memory card.




Hard Disk Drive (HDD)

- It is a non-volatile and random access digital data storage device. HDD is a data storage device used for storing and retrieving digital information using rotating disks (platters) coated with magnetic material.
- All programs of a computer are installed in hard disk.
- It is a fixed disk i.e. cannot be removed from the drive.





It consists of a **spindle** that holds non-magnetic flat circular disks, called platters, which hold the recorded data. Each platter requires two read/write heads, that are used to write and read information from a platter. All the read/write heads are attached to a single access arm so that they cannot move independently.



The information is recorded in bands; each band of information is called a **track**. Each platter has the same number of tracks and a track location that cuts across all platters is called a **cylinder**.

The tracks are divided into pie-shaped sections known as sectors.



Floppy Disk (Diskette)

It is used to store data but it can store small amount of data and it is slower to access than hard disks. Floppy disk rounds in shape and a thin plastic disk coated with iron oxide. Data is retrieved or recorded on the surface of the disk through a slot on the envelope. Floppy disk is removable from the drive.

Floppy disk is available in three sizes;

8 inch , $5\frac{1}{4}$ inch , $3\frac{1}{2}$ inch



Magnetic Tape

- These tapes are made of a plastic film-type material coated with magnetic materials to store data permanently.
- Data can be read as well as recorded.
- It is usually 12.5 mm to 25 mm wide and 500 m to 1200 m long.
- Magnetic tapes hold the maximum data, which can be accessed sequentially.
- They are generally used to store backup data or that type of data, which is not frequently used or to transfer data from one system to another.



Compact Disc (CD)

It is the most popular and the least expensive type of optical disc. A CD is capable of being used as a data storage device along with storing of digital audio. The files are stored on this particular contiguous sectors.

CDs are Categorized into three main types as follows

- (i) CD-ROM.(Compact Disc-Read Only Memory)
- (ii) CD-R (Compact Disc- Recordable)
- (iii) CD-RW (Compact Disc- Rewritable)

700MB



Digital Video Disc (DVD)

DVD is also known as Super Density Disc (SDD) or Digital Versatile Disc (DVD). It is an optical disc storage media. DVDs offer higher storage capacity than CDs while having the same dimensions. Depending upon the disc type, DVD can store several Gigabytes of data (4.7 GB-17.08 GB). DVDs are primarily used to store music or 6 movies and can be played back on your television or computer too. They are not rewritable media.

DVDs come in three varieties as follows

1. DVD-ROM(Digital Video Disc-Read Only Memory)
2. DVD-R (DVD-Recordable)
3. DVD-RW (DVD-Rewritable)



Blu-ray Disc

It is an optical disc storage medium designed to re-capture the data normally in DVD format. Blu-ray disc (BD) contains **25 GB** (23.31 GB) per layer space. The name Blu-ray disc refers to the blue laser used to read the disc, which allows information to be stored at a greater density than the longer- wavelength red laser used in DVDs.

Blu-ray can hold almost 5 times more data than a single layer DVD.

The variations in the formats are as follows

- (i) BD-ROM (Read only)**
- (ii) BD-R (Recordable)**
- (iii) BD-RW (Rewritable)**
- (iv) BD-RE (Rewritable)**



Pen/Thumb Drive

Pen drive is also known as flash drive. A flash drive is a data storage device that consists of flash memory (key memory) with a portable USB (Universal Serial Bus) interface. USB flash drive are typically removable, rewritable and much smaller than a floppy disk.

Memory Cards

These are the data storage devices in a chip shaped which can store the data in it. They are commonly used in many electronic devices, including digital cameras, mobile phones, laptop computers. They are small, re-recordable, easily portable and very light weighted.

Secondary Memory Devices and their storage method and capacity are follows :



Secondary Memory Devices	Storage Method	Capacity
Floppy Disk (5.25 inch)	Magnetic	1.2 MB
Floppy Disk (3.5 inch)	Magnetic	1.44 MB
Floppy Disk (8 inch)	Magnetic	80 KB to 242 KB
CD-ROM	Optical	640 MB to 680 MB
DVD-ROM	Optical	4.7 GB to 17 GB
Pen Drive	Solid State	1 GB to 512 GB
Magnetic Tape	Magnetic	upto 1 TB



Which of the following computer memories is non-volatile?


1. DRAM

2. SRAM

~~3. ROM~~

4. RAM

volatile





Which of the following is used for very high speed searching applications?

1. Flash Memory

~~2. Content-addressable Memory~~

3. Dynamic Random Access Memory (DRAM)

4. Static Random Access Memory (SRAM)



Content-Addressable Memory

Content-Addressable Memory (CAM) is a specialized type of computer memory designed for high-speed data retrieval based on the content of the data rather than its physical address. This unique capability allows CAM to perform searches in parallel, making it particularly effective for applications that require rapid access to information, such as networking and database management.

Definition and Basic Concepts

CAM, also known as associative memory, enables direct access to stored data by comparing input search data against all stored entries simultaneously. This contrasts with traditional Random Access Memory (RAM), where data is accessed using specific addresses. CAM's architecture allows it to return the address of matching data or the data itself in a single operation, significantly speeding up the retrieval process.



What is the name of a memory buffer used to accommodate a speed differential?

1. Cache
2. Stack Pointer
3. Accumulator
4. Disc



Explanation

The memory buffer used to accommodate a speed differential is known as Cache. Cache memory is designed to store frequently accessed data and instructions, allowing for faster retrieval compared to accessing data from main memory. This helps bridge the speed gap between the CPU and slower memory types, enhancing overall system performance.



Which is not an external storage device?

1. CD-ROM
2. DVD-ROM
3. Pen Drive
4. RAM



In IT, associative memory is called as

1. Virtual memory
2. Cache memory
3. Content addressable memory
4. Main memory



Cache memory acts between

1. CPU and RAM
2. CPU and ROM
3. RAM and ROM
4. CPU and Hard disk



Main memory is also known as

1. Auxiliary memory
- ~~2.~~ Primary memory
3. Secondary memory
4. None of the above



HDD

Storage capacity of magnetic disk depends on

1. Tracks per inch of surface
2. Bits per inch of tracks
3. Disk pack in disk surface
4. All of the above



Comp Fundamentals

Chief component of first generation computer was _____

1. Transistors

~~2. Vaccum Tube~~

3. Integrated Circuits

4. Radio



Which among the following is known as temporary memory or volatile memory?

1. RAM
2. ROM
3. Blu-ray
4. Hard disk



1024 MB

1 gigabyte is equal to how many megabytes in binary?

1. 1024

2. 1002

3. 3004

4. 2015



Which of the following is not used for storing data?

1. CD
2. DVD
3. External Hard Drive
4. Keyboard

→ Input Device/Unit



Which memory is NOT primarily based on semiconductors?

1. Main Memory → RAM ✓
2. Cache Memory → ✓
3. Secondary Memory → (X)
4. Registers ✓



6600 MB

Aliya has 2600 MB of data. Dinesh has 4000 MB of data.
The combined data would fit on a USB flash drive of
_____ storage capacity.

1. 1 GB ✓

2. 2 GB ✓

3. 6 GB ✓

4. 10 GB ✓

6×1024

6144 MB



What is the typical range of RAM size in a standard laptop used for office work after 2020?

1. 128 KB-256 KB ✗

2. ~~256 MB-512 MB~~ ✗

3. 4 GB - 16 GB

4. 128 GB - 256 GB

← extensively high ✗



SRAM requires constant power flow in order to function. Because of the continuous power it doesn't need to be refreshed to remember the data being stored. However, it is a volatile memory. Which means that all the data that had been stored becomes lost once the power is cutoff.

1. DRAM

2. SRAM

3. SSDRAM

4. SDRAM

volatile



JOIN US ON



WHATSAPP


JOIN US ON



TELEGRAM



SUBS



FOR MAH MCA CET 2025